KGM

Korean built to last

AUTOMART MOTORS

NEW REXTON



Spacious SUV

+675 311- 2666 automart@kptpg.com www.facebook.com/automartpng

INTERIOR

PREMIUM LEATHER

Genuine leather with sophisticated quilting for ultimate durability and luxury.













Thoughtful interior design gives the 2026 KGM Rexton the sophisticated atmosphere of a luxury SUV—where intuitive digital layouts meet rock-solid craftsmanship to create a space that feels calm, grounded, and inherently stable.




with braked trailer - 3,500kg (4WD) or 2,700kg (2WD)

with unbraked trailer - 750kg




Part-time 4wd

Depending on changing conditions on or off road, the part-time four-wheel drive system allows the driver to take control to ensure that operational safety and efficiency are superior to that of a full-time 4WD.



e-XDi220 Diesel (2.2Litre)	
Max Power	(PS/rpm) 202 / 3,800
Max Torque	(NM/rpm) 441 / 1,600 - 2,600
Displacement	2,157 cc




e-XGDi200T Petrol (2.0Litre)	
Max Power	(PS/rpm) 225 / 5,500
Max Torque	(NM/rpm) 350 / 1,500 - 4,500
Displacement	1,998 cc




When wheel spin occurs on a rough road or loose surface, the locking differential automatically locks the differential to help secure maximum traction and mantain momentum.

SAFETY



BUILT USING THE MOST ADVANCED AUTOMOTIVE HIGH-STRENGTH STEEL


New Rexton's is built from high-density steel, 81.7% of which is high-tensile-strength steel plate given superb rigidity and protection against deformation in a collision and maximising the internal safety of the cabin.



QUAD FRAME

The frame underpins the body and features a quadruple-layered structure that exceeds the global standard for lateral collision safety.


SAFETY




1. Driver airbag 2. Driver's knee protection airbag 3. Passenger's airbags 4/5. Driver's & passenger's side airbag 6/7. Rear seat side airbag 8/9. Curtain airbag



1. Emergency Stop Signal



2. Electronic stability control (ESC)



3. Trailer Stability Assist (TSA)

PUTTING ON THE STYLE



1. Clear LED headlight with LED daytime running lights



2. Prestigious mesh radiator grille



3. 20" polished alloy wheels

True luxury is in the details. The New Rexton commands a powerful presence with striking 20” highly polished alloy wheels, a refined mesh radiator grille, and crystal-clear LED headlights—delivering understated style that makes an immediate impression.



SEE AND BE SEEN - IN STYLE



1. Rear light clusters with LED brake lights



2. Rear bumper with high-gloss black skid plate



3. Dynamic direction indicators

Understated style with maximum night visibility. Seamlessly integrated rear LED light clusters, dynamic indicators, and a high-mounted spoiler brake light deliver a striking, safety-focused design day and night.



EXTERIOR COLOR PALETTE



Grand White (WAA)



Atlantic Blue (BAU)



Silky White Pearl (WAK)



Space Black (LAK)



Elemental Grey (ACY)



Galaxies Grey (ADB)



Marble Grey (ACM)

TECHNICAL DATA

ENGINE				Diesel 2.2 (5-seater)		Diesel 2.2 (7-seater)		Gasoline 2.0 (5-seater)			Gasoline 2.0 (7-seater)		
DRIVEN WHEELS				2WD	Part time 4WD	2WD	Part time 4WD	2WD		Part time 4WD	2WD		Part time 4WD
TRANSMISSION				8AT				6MT	6AT	6AT	6MT	6AT	6AT
EMISSION				Euro 6b				Euro 6b					
EXTERIOR DIMENSION	Overall length		mm	4,850				4,850					
	Overall width			1,960				1,960					
	Overall height			1,825 (with roof rack)				1,825 (with roof rack)					
	Wheelbase			2,865				2,865					
	Tread	Front		1,640				1,640					
		Rear		1,640				1,640					
	Overhang	Front		895				895					
		Rear		1,090				1,090					
	Minimum ground clearance			224 (with IRS) / 203 (with 5-link rear suspension)				203 (with 5-link rear suspension)					
	Minimum turning radius		m	5.5				5.5					
WEIGHT	Gross vehicle weight		kg	2,750	2,860	2,850	2,960	2,730		2,840	2,830		2,940
	Kerb weight			2,005~2,175	2,105~2,275	2,030~2,200	2,130~2,300	1,975~2,104	1,985~2,123	2,085~2,223	2,000~2,129	2,010~2,148	2,110~2,248
	Gross trailer weight	Braked		2,700	3,500	2,700	3,500	2,700		3,500	2,700		3,500
		Unbraked		750				750					
ENGINE	Fuel		-	Diesel				Gasoline					
	Fuel tank		ℓ	70				70					
	Capacity		cc	2,157				1,998					
	Bore X stroke		mm	86.2 X 92.4				86 X 86					
	Compression ratio		-	15.5:1				9.6 : 1					
	Number of cylinders		-	4 in-line				4 in-line					
PERFORMANCE	Max. power		kW/rpm	148.6 / 3,800				165 / 5,500					
			ps/rpm	202 / 3,800				225 / 5,500					
	Max. torque		Nm/rpm	441 / 1,600~2,600				350 / 1,500~4,500					
			kgf.m/rpm	45 / 1,600~2,600				35.7 / 1,500~4,500					
	Max. speed		km/h	191	185	191	185	190	185		190	185	
FUEL CONSUMPTION	CO_2 (combined)		g/km	221	223	221	228	225	239	242	225	242	242
	Combined		ℓ/100km	8.6	8.7	8.6	8.9	9.7	10.3	10.4	9.7	10.4	10.4
	Urban		ℓ/100km	11.5	11.6	11.5	11.8	12.7	13.8	13.9	12.7	13.9	13.9
	Extra urban		ℓ/100km	6.9	6.9	6.9	7.1	7.9	8.2	8.4	7.9	8.4	8.4

* The fuel economy can vary according to road conditions or driver's habits.
* The above technical data can vary slightly by regional certification requirements or sales specifications.

DIMENSIONS

(mm)



AUTOMART MOTORS

Authorized Dealer for KGM Vehicles

automart@kptpg.com

www.facebook.com/automartpng

+675 311- 2666

SEC 36, LOT 12, PONCIANA ST., PORT MORESBY